

DIAL  
CITE

BROOKHAVEN NATIONAL LABORATORY  
ASSOCIATED UNIVERSITIES, INC.

Upton, Long Island, New York 11973

National Nuclear Data Center  
Bldg. 197D

(516) 282-2901, 2902  
FTS 666

4C-1/196

334-F4.01.11

DATE: July 25, 1988  
TO: Distribution  
FROM: N. E. Holden *N. E. H.*  
SUBJECT: CINDA feedback

029721

In recent months, we have received three exchange tapes from NDS and three exchange tapes from NEADB. We have delayed sending feedback because a number of entries have been rejected by our codes. Many of the rejections dealt with items not in the January 1988 EXFOR Dictionary. We have added the appropriate codes noted in forthcoming CP memos and added the rejected entries to the CINDA data base. The remaining errors are noted below.

<u>Transmission</u>		<u>Comments</u>
Your ID	Our ID	
NN 3435	WIEEX.275	No errors
NN3048	WIEEX.276	See attached list of errors
NN6184	WIEEX.277	See attached list of errors
E88A03	BNLEX.128	No errors
E88C27	BNLEX.129	No errors
R88E01	BNLEX.130	No errors

*Charles L. Dunford*  
Charles L. Dunford

VM:a1

Distribution  
V. Manokhin  
J. J. Schmidt  
N. Tubbs  
NNDC (5)

CC: De Moraes  
Gandarias  
Goulo  
Kyi  
Lammner  
Lewmel  
Okamoto  
Osorio  
Schmidt  
Elvener  
Feib  
Wang Datta  
Wang Daw  
Zhang Daoming

**ACTION**  
AUG 09 1988

ACTION OFFICER: *J. J. Schmidt*

AC

*lpage*

File of Errors in Transmission WIE276 Exchange Format

M407816K	41NP KUR476EFiss	3RYK- 23	47612XBrodska+ REAC,ACT,AVG SIG
M407813K	41NA KUR476EFiss	3RYK- 23	47612XBrodska+ REAC,ACT,AVG SIG
M407906NI	61NP KUR476EFiss	3RYK- 23	47612XBrodska+ REAC,ACT,AVG SIG
M408112ZN	64N2NKUR476EFiss	3RYK- 23	47612XBrodska+ REAC,ACT,AVG SIG
M408119ZN	67NP KUR476EFiss	3RYK- 23	47612XBrodska+ REAC,ACT,AVG SIG
M408100Y	89N2NKUR476EFiss	3RYK- 23	47612XBrodska+ REAC,ACT,AVG SIG
M408126ZR	90N2NKUR476EFiss	3RYK- 23	47612XBrodska+ REAC,ACT,AVG SIG
M407809IN	115DINKUR476EFiss	3RYK- 23	47612XBrodska+ YLD IN115META,AV
M407819LA	139RESKUR486E7.5-1	3JYF 45	15118706XBirjukov+ REAC,TOT,NS POLRZ
M407946PR	141NP KUR476EFiss	3RYK- 23	47612XBrodska+ REAC,ACT,AVG SIG
D407995SM	147RESKUR486T7.3+0	3JYF 45	615118706XBirjukov+ REAC,TOT,NS POLRZ
M408026TM	169N2NKUR476EFiss	3RYK- 23	47612XBrodska+ REAC,ACT,AVG SIG
M407926PB	204DINKUR476EFiss	3RYK- 23	47612XBrodska+ YLD PB204META,AV
M407930PB	204N2NKUR476EFiss	3RYK- 23	47612XBrodska+ REAC,ACT,AVG SIG
M408045U	235FRSLIN484E5.8-25.7-13JYF	45	12458705XAleksandrovich+ REAC,ASYM(E

Error: operation M, D not possible for the serial number given.

Error in reader format in transmission WIE276: 87VIENNA error in the conference code. Requires either page number, or paper number according to manual and the NND CINDA reader format program.

File of errors in Transmission WIE277 exchange format

M903508U	233NFYTRM487EMaxw	64EXFOR30766.0028711	FRACT CUMUL YLDS OF SR91,SR
D408041U	234NF FEI483E2.0+51.0+63JAE	63 1	608707XGoverdovskij+ VDG,REL U-235

Error: operation M, D not possible for the serial number given.