Memo CP-D/220

2 August 1991

To:

Distribution

From:

H.D. Lemmel and O. Schwerer

Subject:

Structuring of dictionaries 18, 19, 21, 22, 23.

With some recent additions to the Exfor dictionaries for FACILITY, SOURCE OF INCIDENT PARTICLES, METHOD, DETECTORS and ANALYSIS, we feel that some structuring would be useful. After some research on the usage of the various codes in Exfor BIB sections we propose to group the codes within each dictionary according to type of experiment (see following pages). Corrections and suggestions for improvements by the other centers are most welcome and will be discussed at the forthcoming data centers meeting.

When browsing through the BIB sections we found some unusual examples which may need correction:

FACILITY (CHOPS) slow chopper: charged particle entry A0273

INC-SOURCE (POLNS) polarized neutron source: charged particle entry C0035

ANALYSIS (MLA) multilevel analysis: charged particle entry A0144

Clearance: J.J. Schmidt

Distribution:

S. Pearlstein, NNDC

N. Tubbs, NEA-DB

V.N. Manokhin, CJD

F.E. Chukreev, CAJAD

A. Hashizume, RIKEN

V. Varlamov, CDFE

M. Chiba, Study Group

Cai Dunjiu, IAE-CP

V. McLane, NNDC

NDS: R. Arcilla

S. Ganesan

M. Lammer

H.D. Lemmel

D.W. Muir

A. Pashchenko

J.J. Schmidt

SchwererWang Dahai

3 spare copies

#5150N

```
**********************
                910715 FACILITY
              18
**********************
        GENERAL USE
(COCKCROFT-WALTON ACCELERATOR)
LINAC
        (LINEAR ACCELERATOR)
ICTR
        (INSULATED CORE TRANSFORMER ACCELERATOR)
VDG
        (VAN DE GRAAFF)
VDGT
        (TANDEM VAN DE GRAAFF)
CYGFF
        (CYCLOGRAAFF)
CYCLO
        (CYCLOTRON)
CYCTM
        (TANDEM CYCLOTRONS)
ISOCY
        (ISOCHRONOUS CYCLOTRON) INCL. AVF-CYCLOTRON
SYNCY
        (SYNCHRO CYCLOTRON)
SYNCH
        (SYNCHROTRON)
BETAT
        (BETATRON)
MICRT
        (MICROTRON)
DYNAM
        (DYNAMITRON)
SPECM
        (MASS SPECTROMETER)
SPECD
        (DOUBLE MASS SPECTROMETER)
SPECC
        (CRYSTAL SPECTROMETER)
MESON
       (MESON FACILITY)
NEUTRON REACTIONS ONLY
REAC
       (REACTOR)
OSCIP
       (PILE OSCILLATOR)
CHOPE
       (FAST CHOPPER)
CHOPS
       (SLOW CHOPPER)
SELVE
       (VELOCITY SELECTOR)
PHOTON REACTIONS ONLY
(ELECTRON STORAGE RING)
ENDDICTION
******************
              19 910715 SOURCE OF INCIDENT PARTICLES
**********************
       NEUTRON REACTIONS ONLY
PHOTO
       (PHOTO-NEUTRON)
POLNS
       (POLARIZED NEUTRON SOURCE)
P-D
       (PROTON-DEUTERIUM)
P-T
      (PROTON-TRITIUM)
P-BE
      (PROTON-BERYLLIUM)
P-LI7
      (PROTON-LITHIUM 7)
D-D
       (DEUTERON-DEUTERIUM)
D-T
       (DEUTERON-TRITIUM)
D-LI
       (DEUTERON-LITHIUM)
D-LI7
       (DEUTERON-LITHIUM 7)
D-BE
       (DEUTERON-BERYLLIUM)
D-C12
       (DEUTERON-CARBON 12)
D-C14
       (DEUTERON-CARBON 14)
D-N15
       (DEUTERON-NITROGEN 15)
A-BE
       (ALPHA-BERYLLIUM)
PU240
       (SPONT.FISS. PLUTONIUM-240)
CM244
       (SPONT.FISS. CURIUM-244)
CM246
       (SPONT.FISS. CURIUM-246)
CM248
       (SPONT.FISS. CURIUM-248)
CF252
       (SPONT.FISS. CALIFORNIUM-252)
EXPLO
       (NUCL.EXPLOSIVE DEVICE)
EVAP
       (EVAPORATION NEUTRONS)
```

REAC

(REACTOR)

```
THCOL
         (THERMAL COLUMN)
         (POLARIZED TARGET)
PHOTON REACTIONS ONLY
(ATOMIC BEAM SOURCE)
T.AMR
         (LAMB-SHIFT SOURCE)
BRST
         (BREMSSTRAHLUNG)
MPH
         (MONOENERGETIC PHOTONS)
MPH=
         (MONOENERGETIC PHOTON REACTION = )
         (QUASI-MONOENERGETIC PHOTONS)
QMPH
VPH
         (VIRTUAL PHOTONS)
         (ANNIHILATION RADIATION)
ARAD
COMPT
         (COMPTON SCATTERING)
HARD
         (HARDENED)
KINDT
         (KINEMATICALLY DETERMINED)
LASER
         (LASER SCATTERING)
TAGD
         (ELECTRON TAGGED)
THRDT
         (DETERMINED BY THRESHOLD TECHNIQUE)
ENDDICTION
                39
*********************
                21
                     910715 METHOD
*******************
        GENERAL USE
COINC
         (COINCIDENCE)
PHD
         (PULSE-HEIGHT DISCRIMINATION)
PSD
         (PULSE-SHAPE DISCRIMINATION)
ACTIV
         (ACTIVATION)
ASSOP
         (ASSOCIATED PARTICLE)
MAGFR
         (MAGNETIC FIELD ROTATION)
TOF
         (TIME-OF-FLIGHT)
PLSED
         (PULSE DIE-AWAY)
REC
         (COLLECTION OF RECOILS)
HEJET
         (COLLECTION BY HE-JET)
CHSEP
         (CHEMICAL SEPARATION)
ASEP
         (SEPARATION BY MASS-SEPARATOR)
STTA
         (SINGLE TARGET IRRADIATION)
STTA
         (STACKED TARGET IRRADIATION)
MOSEP
         (SEPARATE MONITOR-FOIL)
MOMIX
         (MIXED MONITOR) MONITOR AND TARGET COMBINED AS CHEMICAL
        COMPOUND OR MIXTURE, OR MONITOR REACTION HAS THE SAME
        TARGET NUCLIDE AS THE REACTION GIVEN UNDER 'REACTION'
EDE
         (PARTICLE IDENTIFICATION BY 'E/DELTA E' MEASUREMENT)
EDEG
         (ENERGY-DEGRADATION BY FOILS) THE PROJECTILE ENERGY WAS
        CONSIDERABLY DEGRADED BEFORE HITTING THE TARGET. THE
        INITIAL PROJECTILE ENERGY AND THE REFERENCE OF THE
        ENERGY LOSS RELATION USED SHOULD BE STATED.
TNTB
        (IRRADIATION WITH INTERNAL BEAM)
EXTB
         (IRRADIATION WITH EXTERNAL BEAM)
BCINT
        (BEAM CURRENT INTEGRATED) CODE USED ONLY IF VALUES
        GIVEN IN THE DATA SECTION ARE BASED ON THIS MEASUREMENT
NEUTRON REACTIONS ONLY
CADMB
        (CADMIUM BATH)
MANGB
        (MANGANESE BATH)
DIFFR
        (DIFFRACTION)
REFL
        (TOTAL REFLECTION FROM MIRRORS)
REAC
        (REACTIVITY MEASUREMENT)
SLODT
        (SLOWING-DOWN-TIME)
BURN
        (BURN-UP)
CHRFL
        (CHRISTIANSEN FILTER)
SHELT
        (SHELL TRANSMISSION)
```

```
FISSION YIELDS, EXPLICITLY
```

CEREN

(CERENKOV DETECTOR)

```
(ABSOLUTE FISSION YIELD MEASUREMENT)
         I.E. NOT RELATIVE TO ANOTHER FISSION YIELD, THOUGH
          MAY BE RELATIVE TO A MONITOR CROSS SECTION
RELFY
         (RELATIVE FISSION YIELD MEASUREMENT)
         I.E. RELATIVE TO ANOTHER FISSION YIELD VALUE
         (R-VALUE MEASUREMENT) SEE LEXFOR UNDER FISSION YIELDS
RVAL.
THE FOLLOWING CODES WERE INTRODUCED FOR FISSION YIELDS
          WITHOUT REFERRING TO THEM EXPLICITLY
FISCT
         (ABSOLUTE FISSION COUNTING) OF THE TOTAL NUMBER OF
          FISSIONS WITH A DETECTOR TO BE SPECIFIED
HADT
         (HEAVY ATOM DIFFERENCE TECHNIQUE) BY MASS SPECTROMETRY
FLUX
        (N-FLUX MONITORING) BY A REACTION TO BE CODED UNDER
           MONITOR
OLMS
        (ON-LINE MASS SEPARATION)
RCHEM
        (RADIOCHEMICAL SEPARATION)
        (DIRECT GAMMA-RAY SPECTROMETRY) OF UNSEPARATED
FPGAM
           FISSION PRODUCTS
GSPEC
       (GAMMA RAY SPECTROMETRY)
BSPEC
        (BETA RAY SPECTROMETRY)
BGCT
        (BETA-GAMMA COINCIDENCE TECHNIQUE)
MOTAH
        (HOT ATOM METHOD)
PHOTON REACTIONS ONLY
RINGR
        (RING RATIO METHOD)
STATD
         (STATISTICALLY DETERMINED)
ENDDICTION
******************
DICTION
                22
                    910715 DETECTORS
****************
        GENERAL USE
TELES
         (COUNTER TELESCOPE) DETECTORS USED MAY FOLLOW IN THE
        FORM (TELES, DET1, DET2). OTHER DETECTORS USED MUST NOT
        BE CODED WITHIN THE SAME PARENTHESIS BUT MUST BE CODED
        IN A SEPARATE LINE
COIN
         (COINCIDENCE COUNTER ARRANGEMENT) DETECTORS USED IN
        COINCIDENCE FOLLOW IN THE FORM (COIN, DET1, DET2). OTHER
        DETECTORS MUST NOT BE CODED WITHIN THE SAME PARENTHESES
        BUT MUST BE CODED IN A SEPARATE LINE
GLASD
        (GLASS DETECTOR)
TRD
        (TRACK DETECTOR) ALL WHICH ARE NOT GLASS
SOLST
        (SOLID-STATE DETECTOR)
THRES
        (THRESHOLD DETECTOR)
SCIN
        (SCINTILLATION DETECTOR)
STANK
        (SCINTILLATOR TANK)
MTANK
        (MODERATING TANK DETECTOR)
        (CESIUM-IODIDE CRYSTAL)
CSICR
NAICR
       (SODIUM-IODIDE CRYSTAL)
PROPC
       (PROPORTIONAL COUNTER)
MAGSP
       (MAGNETIC SPECTROMETER) OR SPECTOGRAPH
PLATE
       (NUCLEAR PLATES)
PSSSD
       (POSITION SENSITIVE SOLID STATE DETECTOR)
SWPC
        (POSITION SENSITIVE SINGLE-WIRE PROPORTIONAL COUNTER)
MWPC
       (POSITION SENSITIVE MULTI-WIRE PROPORTIONAL COUNTER)
PSSCN
       (POSITION SENSITIVE SCINTILLATOR)
GEMUC
        (GEIGER-MUELLER COUNTER)
IOCH
        (IONIZATION CHAMBER)
D4PI
        (4PI-DETECTOR)
FISCH
        (FISSION CHAMBER)
```

	=========	**=====================================
		GAMMA DETECTORS
	=========	
	GELI	(GERMANIUM-LITHIUM DETECTOR)
	GE-IN	(GERMANIUM INTRINSIC DETECTOR)
	HPGE	(HYPERPURE GERMANIUM DETECTOR)
	MOXR	(MOXON-RAE DETECTOR)
	BPAIR	(ELECTRON-PAIR SPECTROMETER) FOR GAMMAS
	==========	=======================================
		NEUTRON DETECTORS
	HORBU	(HODNYAY DIMMON DEFERRACE)
	LONGC	(HORNYAK BUTTON DETECTOR)
	BF3	(LONG COUNTER)
	HE3SP	(BORON TRIFLUORIDE NEUTRON DETECTOR)
	ENDDICTION	(HE-3 SPECTROMETER) 38
	BUDDICTION	38
	*****	*****************
	DICTION	23 910715 ANALYSIS
	******	*****************
		GENERAL USE
	==========	
	INTAD	(INTEGRATION OF ANGULAR DISTRIBUTION)
)	INTED	(INTEGRATION OF ENERGY DISTRIBUTION)
	AREA	(AREA ANALYSIS)
	SHAPE	(SHAPE ANALYSIS)
	4PIlA	(4PI TIMES DIFFERENTIAL CROSS-SECTION AT ONE ANGLE)
	CORAB	(CORRECTION ON ISOTOPIC ABUNDANCE)
	SLA	(SINGLE LEVEL ANALYSIS)
	MLA	(MULTILEVEL ANALYSIS)
	RFN	(R-FUNCTION FORMALISM)
	DECAY	(DECAY CURVE ANALYSIS)
		PHOTONUCLEAR DATA ONLY
		(Proposition Proposition P
	DIFFR	(DIFFERENCE SPECTRUM)
	LEAST	(DETAILED BALANCE) FOR ANALYSIS OF INVERSE REACTIONS
	PHDIF	(LEAST STRUCTURE METHOD)
	PLA	(PHOTON DIFFERENCE)
	REDUC	(PENFOLD-LEISS METHOD)
	REGUL	(REDUCTION METHOD)
	THIES	(REGULARIZATION METHOD)
	UNFLD	(THIES'S METHOD)
	DITE DD	(UNFOLDING PROCEDURE)

ENDDICTION

19